

Tree Guards



Tree Guards



Avenue Tree Guard

Product Features


- High Strength fabricated steel
- All fixings: Stainless Steel 316
- Supplied fully assembled
- Finished in any standard powder coat colour

Product Specification

- Vertical slats: 3mm Mild Steel
- Ø800 Guard: 12 vertical slats
- Ø900 Guard: 24 vertical slats
- Horizontal Rings: 6mm Mild Steel
- Bolting Plates: 8mm Mild Steel
- Fully welded
- Hot Dip Galvanised

Size

- Medium: 1400 high x A= Ø450 * B= Ø800
- Large: 1400 high x A= Ø750 * B= Ø900



WELLINGTON

1-7 Jean Batten St, Rongotai, Wellington 6022
PO Box 14122, Kilbirnie, Wellington 6241, New Zealand
T +64 4 387 7009 F +64 4 387 9114 E wgtnsales@tilleygroup.co.nz

AUCKLAND

36 Aranui Rd, Mt Wellington, Auckland 1060
New Zealand
T +64 9 527 7385 E akldsales@tilleygroup.co.nz

CHRISTCHURCH

Level 1/306 Port Hills Rd, Hillsborough, Christchurch 8022
New Zealand
T +64 3 331 6565 E chchsales@tilleygroup.co.nz

A young tree with green leaves is planted in a black metal tree guard. The guard is a cylindrical cage with vertical bars and a base that fits over a square storm drain on an asphalt parking lot. In the background, there is a wooden fence, a building with a white roof, and various trees and shrubs under an overcast sky.

Avenue Tree Guard

Tilley Street & Park Furniture